References

1. Akira, A., Yoneyama, S., and Utsunomiya, H., [2012] "Coefficient of friction at interface of lubricated upsetting process," Wear, Vol 3-7, (2012) 286-287.

2. Andreas Feuerhack, Carolin Binotsch, Birgit Awiszus [2013] "Formability of Hybrid Aluminum-Magnesium Compounds" Journal of Metastable and Nanocrystalline Materials (Volumes 554-557) pp 21-28.

3. **Babu Rao J., S. Kamaluddin and N. R. M. R Bhargava, [2010]** "Optical strain measurements and its finite element analysis of cold workability limits of pure aluminium," Int. J. Eng. Sci. Tech., Vol. 2 , (2010) pp 1-13.

4. **Bao, Y. and Wierzbicki, T., [2004]** "A comparative study on various ductile crack formation criteria" Journal of Engineering Materials and Technology Vol. 126, (2004) 314–324.

5. **Bao, Y. and Wierzbicki, T., [2005]** "On the cut-off value of negative triaxiality for fracture". Eng. Fract. Mech. Vol. 72, (2005) pp 1049–1069.

6. **Bernd-arno behrens, anasbouguecha, christianbuse, kaiwölk, iadriansantangelo [2016]** "potentials of in situ monitoring of aluminum alloy forging by acoustic emission" elseview archives of civil and mechanical engineering volume 16, issue 4, pp 724-733

7. **Cesar de Sa J.M.A., Areias P.M.A. and Zheng C,[2006]** "Damage modelling in metal forming problems using an implicit non-local gradient model*", Comput. Methods Appl. Mech. Engrg*. Vol. 195 (2006) pp 6646–6660.

8. **Choi Y, Park JH, Kim BH, Choi JC and Min BH, [2000]** "Estimation of relation between effective strain and hardness by rigid-plastic FEM." Met Mater 6, (2000) pp 111-116.

9. **Gouveia B.P.P.A, Odrigues J.M.C and Martins P.A.F, [2000]** "Ductile fracture in metalworking: experimental and theoretical research". *J. Mater. Process. Technol.*, Vol. 101, (2000) pp 52-63.

10. **Haluk T, and Sonmez FO, [2009]** "Optimum shape design of die and preform for improved hardness distribution in cold forged parts." J mater proc tech Vol 209 (2009) 1538-1549.

11. **Hari Krishna Ch, Davidson M.J., and Nagaraju Ch** "Utilization of Workability Criteria to Improve the Formability of the Deformed Truncated Billets in Simple

Upsetting" Procedia Material Science, Vol 5, 2014, p 1392 – 1397. ***Elsevier*.*(Scopus indexed)***

12. **Kamaluddin, S., Babu Rao, J., Sarcar, M-M-M., and Bhargava, N-R-M-R.,[2007]** "Studies on Flow Behavior of Aluminum Using Vision System during Cold Upsetting," Metall. Mater. Trans. B, Vol. 38, (2007) pp. 681-688.

13. **Kim D.J and Kim B.M, [2002]** "Prediction of Deformed Configuration and Ductile Fracture for Simple Upsetting Using an Artificial Neural Network". *Int. J Adv. Manuf. Techn*. Vol. 19, (2002) pp 336–342.

14. **Liang X. [2007]** "Damage accumulation and fracture initiation in un cracked ductile solids subject to triaxial loading*" Int. J. Sol Struct* Vol. 44, (2007), 5163–5181.

15. **Liang X and Wierzbicki, T,[2008]** "Ductile fracture initiation and propagation modeling using damage plasticity theory", *Eng. Fract. Mech*., Vol. 75 (2008) pp 3276–3293.

16. **Liang Xue, [2008]** Constitutive modeling of void shearing effect in ductile fracture of porous materials, *Eng. Fract. Mech*, Vol. 75 (2008) pp 3343–3366.

17. **Lindgren M. J,[2007]** Cold roll forming of a U-channel made of high strength steel, Mater Proc Tech Vol. 186 (2007a) pp 77-81.

18. **Li H, Fu MW, Lua J and Yang H**. "Ductile fracture: Experiments and computations." *Int J. Plast*., Vol. 27, (2011), pp 147–180.

19. **Li J, Li F, Fengmei X, Jun C, and Bo C,** [2012] "Micromechanical behavior study of forged 7050 aluminum alloy by microindentation." Mater Des Vol. 37 (2012) pp 491-499.

20. **Malayappan S. and R. Narayanasamy , [2003]** "Some aspects on barrelling in aluminium solid cylinders during cold upset forging using a die with constraints," J. mater. Proc. Tech., Vol. 135, (2003) pp 18-29.

21. **Manisekar K. and Narayanasamy R, [2005]** "Some aspects of barrelling in solid billets of non-circular aluminium during cold upset forging with different lubricants," Ind. J. Eng. Mater. Sci., Vol. 12, (2005) pp 24-32.

22. **Mohan-Raj A P and Selvakumar N, [2011]** "Deformation behavior of Sintered Fe-C-Mn Composite During Cold Upset forming." Mater Manuf Proc Vol. 26 (2011) pp 1388-1392.

23. **M R Bhatt and S Buch (2015),** "Prediction of formability for sheet metal component using artificial intelligent technique", 2nd International Conference on Signal Processing and Integrated Networks (SPIN). Pp:388 – 393.

24. **Narayanan RG, Gopal M, Rajadurai A, [2008]** "Influence of friction in simple upsetting and prediction of hardness distribution in a cold forged product". J Test Eval Vol. 36, (2008) pp 1-13.

25. **Narayanasamy R. and Baskaran K., [2008]** "Effect of various stress ratio parameters on cold upset forging of irregular shaped billets using graphite as lubricant under plane and triaxial stress state conditions," Mater. Des., Vol. 29, 2008 pp 2089-2103.

26. **Narayanasamy R. and Pandey, K.S.[1998]** " Some aspects of work hardening in sintered aluminium-iron composite preforms during cold axial forming". J. Mater. Proc. Tech. Vol. 84, (1998) pp 136–142.

27. **Paralikas J, Salonitis K, and Chryssolouris G,[2010]** "Optimization of roll forming process parameters – a semi-empirical approach", Int J Adv Manuf Tech 47 (2010) pp 1041-1052.

28. **Peng Z and Sheppard T [2004]** "Study of surface cracking during extrusion of aluminium alloy AA 2014". *Mater Sci Tech* Vol. 20, (2004) pp 1179-119.

29. **R. Narayanasamy , V. Anandakrishnan and K. S. Pandey, [2008]** Effect of geometric work-hardening and matrix work-hardening on new constitutive relationship for aluminium–alumina P/M composite during cold upsetting, Int J Mech Mater Des Vol. 4, (2008) pp 301–315

30. **Sahin, M., Entinarsla, C-S-C. and Erol, A-H.,[2007]** "Effect of surface roughness on friction factors during upsetting processes for different materials," Mater. Des. Vol. 28, (2007) pp. 633–640.

31. **Sonmez FO and Demir A , [2007]** Analytical relations between hardness and strain for cold formed parts. J Mater Proc Tech Vol. 186, (2007) pp 163-173.

32. **Srinivasan k, and Venugopal P, [1999]** "Hardness–stress–strain correlation in titanium open die extrusion: an alternative to visioplasticity". J Mat Proc Tech Vol. 95, (1999) pp185-190

33. **Sumesh Narayan, Ananthanarayanan, Rajeshkannan [2017]** "Studies on formability of sintered aluminum composites during hot deformation using strain hardening parameters" Journal of Materials Research and Technology Volume 6, Issue 2, Pages 101-107

34. **Tekkaya AE, [2001]** " Improved relationship between Vickers hardness and yield stress for cold formed materials". Steel Res Vol. 72, (2001) pp 304-310.

35. **Venkata Reddy N, Dixit P.M and Lal GL,** "Ductile fracture criteria and its prediction in axisymmetric drawing". Int. J. Mach. **Tools Manuf Vol. 40, (2000) pp 95–111.**

36. **Weck, A., Wilkinson, D.,[2008]** "Experimental investigation of void coalescence in metallic sheets containing laser drilled holes." Acta Mater. Vol. 56, (2008), pp 1774–1784.

37. **Xunzhong Guo, Yanbo Gu, Hui Wang, Kai Jin and Jie Tao [2018]** "The Bauschinger effect and mechanical properties of AA5754 aluminum alloy in incremental forming process The International Journal of Advanced Manufacturing Technology, 2018, Volume 94, Number 1-4, Page 1387

38. **Yatna Yuwana, Martawirya ; Sri Raharno ; Daniel Sadono [2014]** " Preliminary study of a deep drawing process modelling for al-5083 aluminium material" International Conference on Electrical Engineering and Computer Science (ICEECS) 2014.

39. **Zheng C, Jose M.A, Desa C, and Pires F.M.A, [2007]** "A comparison of models for ductile fracture prediction in forging processes". *Comput. Meth. Mater.* Sci., Vol. 7, (2007) pp 389 – 396.